Guide to Agricultural PM10 Best Management Practices

"Agriculture Improving Air Quality"

Animal Operations - Dairy



Governor's Agricultural
Best Management Practices Committee

First Edition, 2015

Guide to Agricultural PM10 Best Management Practices: Table of Contents

Introduction

Why is this Guide to Agricultural PM10 Best Management Practices needed? Why was the agricultural PM General Permit created? Who must comply with the agricultural PM General Permit? What does the operator of a commercial animal operation have to do? When must the agricultural PM General Permit be implemented? What will happen if I do not comply with the agricultural PM General Permit?

Soils, PM10, and Air Quality

Best Management Practices

Arenas, Corrals, and Pens

Apply a fibrous layer
Do not run cattle
Feed green chop
Groom manure surface
Keep calves in barns or hutches
Pile Manure between cleanings
Provide cooling in corral
Provide shade in corral
Use drag equipment to maintain pens
Use free stall housing
Water misting systems
Wind Barrier

Animal Waste (and Feed) Handling and Transporting

Covers for silage
Cover manure hauling trucks
Do not load manure trucks with dry manure when wind exceeds 15 mph
Feed higher moisture feeds to dairy cattle
Store and maintain feed stock
Store silage in bunkers

Unpaved Access Connections

Apply and maintain aggregate cover
Apply and maintain pavement in high traffic areas
Apply and maintain synthetic particulate suppressant
Apply and maintain water as a dust suppressant
Install and maintain a track-out control system
Install signage to limit vehicle speed to 15 mph
Install speed control devices
Restrict access to through traffic

Unpaved Roads or Feed Lanes

Apply and maintain aggregate cover

Apply and maintain pavement in high traffic areas

Apply and maintain pavement or cement feed lanes

Apply and maintain synthetic particulate suppressant

Apply and maintain water as dust suppressant

Install engine speed governors on feed trucks to 15 mph

Install signage to limit vehicle speed to 15 mph

Install speed control devices

Restrict access to through traffic

Use appropriate vehicles such as electric carts or small utility vehicles instead of trucks

Sample Agricultural BMP General Permit Record

Where can I learn more?

Contributors

PM Regulated Area Boundary Map (Insert)

Introduction:

Why is the Guide to Agricultural PM10 Best Management Practices needed?

The Federal Clean Air Act requires that emissions from all significant sources in areas not meeting the national ambient air quality standards be controlled through effective programs. Through a study conducted by the Arizona Department of Environmental Quality (ADEQ) in 1995, agricultural activities were identified as a source that contributes to the production of particulate matter (PM).

PM10 is particulate matter that is 10 micrometers or less in diameter. These particles are very small and can invade the natural defense mechanism of the human respiratory tract penetrating deep into the lungs (human hair is 70 micrometers in diameter). Consequently, PM can cause a wide variety of harmful health effects, especially for children, the elderly, and people with pre-existing respiratory or cardiovascular disease.

With this potential threat to human health, Arizona farmers and commercial animal operators have stepped up to the challenge to develope and implement a program to help meet the Federal Clean Air Act standards for PM.

The intent of this guide is to:

- Provide agricultural operators with information and guidance on how to effectively implement individual best management practices (BMPs).
- Inform the general public about the efforts local farmers are implementing to improve air quality.
- Provide Natural Resource Conservation Districts (NRCD) and other farm organizations with background information regarding the agricultural PM General Permit.
- Provide regulators with information and guidance on how to determine compliance with the agricultural PM General Permit.

Why was the Agricultural PM General Permit created?

The Phoenix metropolitan area has not met the Federal Clean Air Act Standards for PM10 since the Clean Air Act was revised in 1990. On June 10, 1996, the U.S. Environmental Protection Agency (EPA) re-designated the PM10 Regulated Area to serious for PM10, resulting in the need for emission reduction programs for previously unregulated sources, such as unpaved roads, unpaved parking lots, vacant lots and agriculture. On August 3, 1998, EPA issued a federal implementation plan (FIP) addressing these unregulated sources. The FIP included requirements to develop and enforce control measures for these source categories.

In an effort to address agriculture's contribution to PM10, the Governor's Agricultural Best Management Practices Committee was created by law in 1998 (Arizona Revised Statutes (A.R.S.) §49-457)). The committee is composed of five local farmers, the director of ADEQ, the director of Arizona's Department of Agriculture, the state conservationist for the Natural Resources Conservation Service (NRCS), the vice dean of the University of Arizona College of Agriculture and Life Sciences and a soil scientist from the University of Arizona. The committee's charge was to develop an agricultural PM10 general permit that would address the need for controls on agricultural operations. The committee was to identify BMPs that focused on feasible, effective and common sense practices that minimized negative impacts on local agriculture. In the original program, the agricultural PM10 general permit required that at least one BMP be implemented to control PM10 for each of the following categories: tillage and harvest, non-cropland, and cropland. Because A.R.S. §49-457 was developed and adopted, EPA removed the portion of the federal implementation plan for agriculture on June 29, 1999 [64 Federal Register p. 34,726].

In 2007 the Arizona State Legislature passed Senate Bill 1552, which mandated the expansion of the Ag BMP program by changing the number of BMPs required from one to two per category in the Maricopa County nonattainment area and the Maricopa County portion of Area A.

In 2009, the Arizona State Legislature passed Senate Bill 1225, amending A.R.S. §49-457 to include activities for dairy, beef cattle feedlots, and poultry or swine facilities. BMPs were added to the rule to include practices related to unpaved access connections; roads or feed lanes; animal waste (and feeding) handling and transporting; and arenas, corrals and pens. It also provided for the addition of one person actively engaged in each of the following; beef cattle feed lot, dairy, poultry and swine, as well as one person from a county air quality department, to the Governor's Ag BMP Committee.

On July 2, 2012, the EPA re-designated a portion of western Pinal County from "unclassified" to "nonattainment" for PM10. Arizona will be required to develop a plan in Pinal County to attain the air quality standard for PM10. The September 17, 2013 emission inventory for Pinal County indicated that significant emission reductions would be needed from agricultural activities to attain the PM standard.

Who must comply with the Agricultural PM10 general permit?

Any commercial animal operator located within the boundary of the Maricopa PM Nonattainment Area and Maricopa County portion of Area A, a PM nonattainment area designated after June 1, 2009 as stated in A.R.S. § 49-457(P)(1)(f), or the Pinal County PM Nonattainment Area except on tribal land. A commercial animal operator is defined as: any dairy operation with more than 150 dairy cattle, any beef cattle feedlot with more than 500 beef cattle, any poultry operation with more than 25,000 egg laying hens, and any swine operation with more than 50 animal units.

What does the operator have to do?

- For commercial animal operators located in Pinal County PM Nonattainment Area and any moderate nonattainment area, facilities must implement and maintain at least ONE approved BMP (described later in this document) for each of the four categories: Arenas, Corrals, and Pens; Animal Waste (and Feed) Handling and Transporting; Unpaved Access Connections; and Unpaved Roads or Feed Lanes. Commercial dairy operators in Pinal County have ONE extra BMP to implement in the Unpaved Roads or Feed Lanes category. Commercial beef feedlot operators in Pinal County have ONE extra BMP to implement in the Arenas, Corrals, and Pens category.
- For commercial animal operators located in Maricopa County PM Nonattainment Area and Maricopa County portion of Area A, facilities must implement and maintain at least TWO approved BMP (described later in this document) for each of the four categories: Arenas, Corrals, and Pens; Animal Waste (and Feed) Handling and Transporting; Unpaved Access Connections; and Unpaved Roads or Feed Lanes.
- Must keep records detailing the BMPs selected for each category. The commercial animal
 operator may document the practice on the sample BMP agricultural PM permit record or
 develop a record that includes the information required by the Agricultural PM General
 Permit. The commercial operator must make available the record to the ADEQ director
 within two business days of notice to the operator.
- In **Pinal County**, beginning in Calendar year 2017, and no more than once every subsequent three calendar years, the commercial animal operator shall complete and submit a 3-Year Expanded Survey to the Arizona Department of Agriculture detailing the number of animals in the commercial facility, the total miles of unpaved roads, total acreage of unpaved access

- connections, and the BMPs selected in each of the categories including the BMPs selected for high risk days. The first survey is due January 31, 2018 and every three years thereafter.
- The committee recommends additional record keeping if implementation of the BMPs is not easily visible. Examples of additional record keeping include, but are not limited to, photographs, purchase records, receipts, job sheets, contractor invoices, employee timesheets, logs, narrative statements, individual farm policies, statements of understanding signed by employees or contractors, and training records.
- There is no fee associated with the Agricultural PM General Permit.

When must the Agricultural PM10 General Permit be implemented?

A commercial animal operator engaged in agricultural activities before and after December 31, 2015 must comply with the Agricultural PM General Permit.

New legislation will require all producers located in a designated PM Nonattainment area that engage in agricultural activities to be in compliance by January 1, 2016. Any person who commences a regulated agricultural activity after January 1, 2016 must be in compliance as soon as the activity begins.


What will happen if I do not comply with the Agricultural PM General Permit? If the ADEQ Director determined that a commercial animal operator is not in compliance with the agricultural PM General Permit, the following three-stage process would occur as per A.R.S. 49-457(I)(J)(K):

- 1. If the commercial animal operator has not previously been subject to an agricultural PM General Permit related compliance order, the operator will be required to submit a plan to the local Natural Resource Conservation District (NRCD) within a period that the director determines is reasonable, but is not less than 60 days. The plan must specify the BMPs that the facility will use to comply with the General Permit.
- 2. If the commercial animal operator has previously been subject to an agricultural PM General Permit related compliance order, the operator will be required to submit a plan to ADEQ within a period that the director determines is reasonable, but is not less than 60 days. The plan must specify the BMPs that the facility will use to comply with the General Permit.
- 3. If the commercial animal operator fails to comply with the plan submitted to NRCD and ADEQ, the director of ADEQ may revoke the agricultural PM General Permit and require the operator to obtain an individual fee based permit.

At each stage, the farmer would have the opportunity for a hearing.

Soils, PM10 and Air Quality

Soils consist of various particles including mineral matter, organic matter, air, and water. These particles vary in shape and size, ranging from large drops of liquid to microscopic dust particles. The mineral particles in soil are classified as sand, silt, or clay. Soils containing high amounts of clay coupled with large silt particles have a greater likelihood of generating PM10. The term PM10 is used to describe particles of 10 micrometers or less in aerodynamic diameter. By comparison, the diameter of the average human hair is 70 micrometers, making human hair about seven times the size of PM10.



When the natural soil structure is manipulated or disturbed by tillage, animals, weather, or vehicular traffic, the structure can be broken apart from larger pieces, or clods, into smaller pieces. This process significantly increases the potential for soil particles to become suspended in the air. Further manipulation of the soil increases the chance for smaller particles to become PM10.

Air quality problems occur when the amount of particles released into the air increase in concentration. Large concentrations of PM10 can potentially violate one of the federal air quality standards, or National Ambient Air Quality Standards (NAAQS), set for various air pollutants. The current NAAQS standard for PM10 is 150 micrograms/cubic meter averaged over 24 hours. This standard is a concentration by weight measure. PM10 emissions can also cause visibility impairment (e.g., Brown Cloud) as well as health impacts. The small particles can pass through nostril hairs and enter the lungs, penetrating deep into the lung tissue where it is lodged and not easily, if ever, expelled.

Two meteorological events have the potential to increase the impacts from high concentrations of PM10: high winds and inversions. Conditions for both of these events can occur in PM regulated areas, one occurring predominantly in the warmer season, the other in the cooler season. Warm season high wind events are generally short (less than one hour) and are the result of the downdrafts from monsoon thunderstorms. The cool season events are longer (six to 12 hours) and are the result of strong pressure gradients associated with a trough or a cold frontal system.

An inversion is a region in the atmosphere where the temperature increases with height. The presence of an inversion creates a very stable atmosphere and leads to very little mixing of the air, trapping pollutants close to the ground. An inversion is also produced whenever radiation from the surface exceeds the amount of radiation from the sun – commonly at night or in the winter when the angle of the sun is very low in the sky. Some of the best management practices outlined in this booklet address how to lower PM10 so these events do not increase PM10 concentrations.

Disturbed soil that is broken down into smaller particles can also become a soil conservation problem. Many of the best management practices outlined in this booklet are already used to prevent soil erosion. Other best management practices address ways of limiting particles from associated activities such as adjoining dirt roads or road shoulders. The manipulation or disturbance of soil is inherent to agriculture. Best management practices are not designed to eliminate particle emissions 100 percent, but they are designed to reduce the activities that can lead to the increased concentration of PM10.

Best Management Practices

As a result of discussions between the EPA, Arizona Department of Environmental Quality, and the Arizona Department of Agriculture, the Arizona State Legislature in 1999 enacted legislation with the full support of the Arizona agriculture community to create and implement a Best Management Practice Program. The Agricultural Best Management Practice Program allows growers, commercial animal operators and irrigation districts a wide range of choices to reduce PM emissions within an established PM Regulated Area (reference map insert).

The Arizona Legislature has defined a BMP for the PM Nonattainment Area (reference map insert) in A.R.S. 49-457(P)(3), as a technique verified by scientific research that, is practical, economically feasible and effective in reducing PM on a case by case basis from a regulated agricultural activity. The following section summarizes the BMPs approved by the Governor's Agricultural Best Management Practices Committee to reduce PM for each of the four commercial animal operations: dairy, beef cattle, poultry, and swine. A wide range of variation exists within each commercial animal operation within the PM Regulated Area (reference map insert) which can only be addressed by a wide range of flexible and adaptable management practices. Most methods for controlling PM and dust emissions parallel the controls for wind erosion. These methods are based on principles that contain or slow soil movement from fields. The BMPs are not designed to eliminate dust emissions 100 percent, but are expected to reduce wind erosion and associated PM. Not all of the BMPs will work equally well on every commercial animal operation because of variations in wind, soils, moisture conditions and, in some cases, the management approaches of individual operators. Such factors should be considered by the individual operator to ensure he or she implements effective BMPs. This guide represents the first step in helping to reduce PM emissions from commercial animal operations located within a PM Regulated Area (reference map insert).

COMMERCIAL DAIRY OPERATION

Any dairy operation with more than 150 dairy cattle within the boundary of the Maricopa PM Nonattainment Area and Maricopa County portion of Area A, a PM nonattainment area designated after June 1, 2009 as stated in A.R.S. § 49-457(P)(1)(f), or the Pinal County PM Nonattainment Area.

CATEGORY I: Arenas, Corrals, and Pens

Any area where animals are confined for the purpose of, but not limited to feeding, displaying, safety, racing, exercising, or husbandry.

Best Management Practices for Arenas, corrals, and pens

Apply a fibrous layer
Cement cattle walkways to milk barn
Do not run cattle
Feed green chop
Groom manure surface
Keep calves in barns or hutches
Pile Manure between cleanings
Provide cooling in corral
Provide shade in corral
Use drag equipment to maintain pens
Use free stall housing
Water misting systems
Wind Barrier

Apply a Fibrous Layer

Rule Definition

"Apply a fibrous layer" means reducing PM emissions and soil movement, and preserving soil moisture by spreading shredded or deconstructed plant materials to cover loose soil in high animal traffic areas. Material shall be consistently applied to a minimum depth of two inches above the soil surface and coverage should be a minimum of 70 percent.

Purpose



Applying a fibrous layer prevents disturbance of the dry and loose manure surface caused by animal movement.

Suggestions for Implementation

Apply fibrous layers in areas with a high volume of animal traffic. Fibrous layers include wood chips, dry separated manure solids, or other materials to sorting alleys and high traffic areas. Another example is to put damp manure solids right off the separator into pens on a daily basis and working it with a harrow to keep fibrous materials at the surface and the finer below, trapping the finer particles.

Cement Cattle Walkways to Milk Barn

Rule Definition

"Cement cattle walkways to milk barn" means reducing PM emissions by fencing pathways from the corrals to the milk barn, restricting dairy cattle to surfaces with concrete floors.

Purpose

Lactating dairy cows move between the corrals and milking barn up to three times a day. Installing concrete walkways from the corrals to the milk barn reduces the contact that animals have with the manure surface and prevents disturbance of the dry, loose manure surface during travel to the milking barn.

Suggestions for Implementation

Install concrete walkways between the corrals and the milk barn.



Do Not Run Cattle

Rule Definition

"Do not run cattle" means reducing PM emissions by walking dairy cattle to the milking barn.

Purpose

When animals are allowed to run, they can generate a significant amount of PM emissions. Controlling animal movement will help reduce the disturbance of the dry, loose manure surface and soil.

Suggestions for Implementation

Implement a management policy elimination herding tactics that will make animals run.

Feed Green Chop

Rule Definition

"Feed green chop" means feeding high moisture feed that contains at least 30 percent moisture directly to dairy cattle.

Purpose

Feeding green chop to dairy cattle increases the moisture content in the manure. Higher moisture levels in the manure layer helps bind PM particles so they do not become air borne as easily as dry manure.

Suggestions for Implementation

Feed green chop as appropriate to increase the moisture content of manure.

Groom Manure Surface

Rule Definition

"Groom manure surface" means reducing PM emissions and wind erosion by:

- Flushing or vacuuming lanes daily,
- Scraping and harrowing pens on a weekly basis, or
- Removing manure every four months with equipment that leaves an even corral surface of compacted manure on top of the soil.

Purpose

The practice of daily flushing, scraping or vacuuming, or removing fresh manure, helps manage the build-up of manure in corrals. The un-compacted manure layer in a corral is what produces the PM emissions when animals disturb it while walking.

Suggestions for Implementation

The management objective for open corral surfaces is to maintain a firm, well drained surface consisting of a one to three inch layer of well compacted manure and soil, minimizing the depth on un-compacted manure on the corral surface.

Examples include, but are not limited to:

- Daily removal of fresh manure from the corrals to reduce the overall buildup on manure.
- Scrape and harrow pens on at least a weekly basis.
- Remove corral manure approximately every four months to minimize the amount of un-compacted manure in the corrals. The corral should have an even, compacted manure layer on top of the soil surface.



Keep Calves in Barns or Hutches

Rule Definition

"Keep calves in barns or hutches" means housing calves two months of age or less in barns or hutches. "Hutches" means raised, roofed enclosures that protect the calves from the elements.



Purpose

Calves that are two months old or less are more active than older dairy cattle. Housing calves in barns or hutches reduces PM emissions by limiting their movement and access to the manure pack of the corrals.

Suggestions for Implementation

House calves (two months old or less) in barns or hutches.

Pile Manure between Cleanings

Rule Definition

"Pile manure between cleanings" means reducing PM emissions by collecting loose surface materials within the confines of the surface area of the occupied feed pen every two weeks.

Purpose

Piling manure helps reduce the surface area of manure that is exposed to wind erosion and also helps reduce the redistribution of un-compacted manure by animal activity. Minimizing the depth of the un-compacted manure layer can help reduce PM emissions.

Suggestions for Implementation

The management objective for open corral surfaces is to maintain a firm, well drained surface consisting of a one to three inch layer of well compacted manure and soil, minimizing the depth of un-compacted manure on the corral surface. Between manure removal operations, pile manure in corral areas with low animal traffic.

Provide Cooling in Corral



Rule Definition

"Provide cooling in corral" means reducing PM emissions by using cooling systems under the corral shades to reduce the ambient air temperature, thereby increasing stocking density in the cool areas of the corrals.

Purpose

Animals naturally congregate in the shaded, cooler areas of corrals, which increases the stocking density in those areas and the animals spend less time in the corral where they can generate PM emissions. Increasing the

stock density also increases the moisture content of the corral surface.

Suggestions for Implementation

Install evaporative cooling systems under the corral shades to increase stocking densities.

Provide Shade in Corral

animal of shaded pen surface.

Rule Definition

"Provide shade in corral" means reducing PM emissions by increasing stocking density and reducing animal movement by using a permanent structure, which provides at least 16 square feet per

Purpose

Animals naturally congregate in the shaded, cooler areas of corrals, which increases the stocking density in those areas and the animals spend less time in the corral where they can generate PM emissions. Increasing the stock density also increases the moisture content of the corral surface.



Suggestion for Implementation

Construct permanent shade structures in corrals that provide a minimum of 16 square feet of shade per animal.

Use Drag Equipment to Maintain Pens

Rule Definition

"Use drag equipment to maintain pens" means reducing PM emissions by using manure equipment pulled behind a tractor instead of using push equipment, which avoids dust accumulation in floor depressions.



Purpose

Drag or pull type equipment stabilizes soil surface by avoiding floor depressions and the accumulation of dry, uncompacted material in those depressions.

Suggestions for Implementation

Use drag equipment (e.g.: box scraper) instead of push equipment to maintain corrals.

Use Free-Stall Housing

Rule Definition

"Use free-stall housing" means reducing PM emission by enclosing one cow per stall, which are outfitted with concrete floors.

Purpose

Free-stall housing restricts dairy animals to one stall, which minimizes their movement and reduces disturbance of manure surfaces. The disturbance of manure surfaces by animal movement is a source of PM emissions.

Suggestion for Implementation

Use free-stall housing where appropriate.

Use Water Misting Systems

Rule Definition

"Water misting systems" means reducing PM emissions from dry manure by using systems that project a cloud of very small water particles onto the manure surface, keeping the surface visibly moist.

Purpose



During hot weather the compacted manure layer can dry out and become covered with an un-compacted layer of dry manure material, which can produce PM emissions when animals walk or run through it. Adding moisture to this un-compacted layer binds particles together so they are not as easily air-borne as dry manure.

Suggestions for Implementation

Install evaporative cooling systems and/or fence line spraying systems to apply a residual amount of moisture on the corral surface.

Wind Barrier

Rule Definition

"Wind Barrier" means reducing PM emissions and wind erosion by construct a fence or structure, or providing a woody vegetative barrier by planting a row of trees or shrubs, perpendicular or across the prevailing wind direction to reduce wind speed by changing the pattern of air flow over the land surface. For fences and structures, the wind barrier shall have a density of no less than 50 percent and height of the wind barrier must be proportionate to the downwind protected area. The downwind protected area is considered ten times the height of the wind barrier. For vegetative barriers, compliance shall be determined by NRCS Conservation Practice standard, Code 380, Windbreak/Shelterbelt Establishment, amended through August 21, 2009 (and no future editions).

Purpose

Wind barriers disrupt the erosive flow of wind over unprotected cropland fields thus helping to reduce PM

Suggestions for Implementation

- Continuous board fences, burlap fences, crate walls, bales of hay and similar material can be used to control air currents and blowing soil.
- Barriers should be aligned across the prevailing wind direction. While 90 degrees or perpendicular is preferred, benefits can still be realized when barriers are aligned as close to perpendicular as possible.
- The distance of 10 times the barrier height is considered the protected area downwind of the barrier.

CATEGORY II: Animal Waste (and Feed) Handling and Transporting Any activity that includes feeding animal, handling waste, and transporting or removing manure.

Best management practices for animal waste (and feed) handling and transporting

Covers for silage

Cover manure hauling trucks

Do not load manure trucks with dry manure when wind exceeds 15 mph

Feed higher moisture feeds to dairy cattle

Store and maintain feed stock

Store silage in bunkers

Cover for Silage

Rule Definition

"Cover for silage" means reducing PM emissions and wind erosion by using large plastic tarps to completely cover silage.



Purpose

Silage stored in piles, have large areas exposed at the top surface and sides that can be eroded by wind activity. Covering silage piles with tarps can reduce PM emissions from wind erosion.

Suggestions for Implementation

Cover the top surface and sides of all silage piles with tight fitting tarps, except for the feeding face of the pile.

Cover Manure Hauling Trucks

Rule Definition

"Cover manure hauling trucks" means reducing PM emissions by completely covering the top of the loaded area.

Purpose

Animal waste handling activities periodically require large amounts of dry manure to be removed from the animal pens and transported to sites where they are used as fertilizer for agricultural crops. Covering the top of manure hauling trucks during transit can reduce PM emissions.

Suggestions for Implementation

Cover cargo compartment of manure hauling trucks with a tarp or other suitable closure.



Do Not Load Manure Trucks with Dry Manure When Wind Exceeds 15 MPH

Rule Definition

Limit dry manure loading operations to days when wind speed is less than 15 mph.

Purpose

Animal waste handling activities periodically require large amounts of dry manure to be removed from the animal pens and transported to sites where they are used as fertilizer for agricultural crops. Limiting dry manure loading to days where the wind speed is less than 15 mph can reduce PM emissions by limiting contact of the manure to wind.

Suggestions for Implementation

Limit manure loading operation to days where wind speed is less than 15 mph. The facility

should have an anemometer, a device that measures wind speeds.



Feed Higher Moisture Feeds to Dairy Cattle

Rule Definition

"Feed higher moisture feed to dairy cattle" means reducing PM emissions by feeding dairy cattle one or any combination of the following

- Add water to ration mix to achieve a 20 percent minimum moisture level.
- Add molasses or tallow to ration mix at a minimum of 1 percent.
- Add silage.
- Add green chop.

Purpose

Feeding higher moisture feed to dairy cattle increases the moisture content in manure. Higher moisture levels in the manure binds PM particles together so they do not become air borne as easily as dry manure.

Suggestions for Implementation

Add high moisture feeds to the dairy feed ration.

Store and Maintain Feed Stock

Rule Definition

"Store and maintain feed stock" means reducing PM emissions and wind erosion by storing feed stock in a covered area where the commodity is surrounded on at least three sides by a structure.



Purpose

Adequately storing and maintaining feed stock can lower PM emissions by reducing contact of the feed to the wind.

Suggestions for Implementation

Store bulk feed inventories in bins, tanks, or commodity barns.

Store Silage in Bunkers

Rule Definition

"Bunkers" means below ground level storage system for storing large amounts of silage, which is covered with a plastic tarp.

Purpose

Silage stored in bunkers, have a large surface area exposed at the top that can be eroded by wind activity. Covering the top of silage bunkers with tarps can eliminate or reduce a high percentage of PM emissions from stored silage during wind activity.

Suggestions for Implementation

Cover the top surface of silage stored in bunkers with a tarp, except for the feeding face of the bunker.

Category III: Unpaved Access Connections Any unpaved road connection which connects to a paved public road.

Best management practices for unpaved access connections

Apply and maintain aggregate cover
Apply and maintain pavement in high traffic areas
Apply and maintain synthetic particulate suppressant
Apply and maintain water as a dust suppressant
Install and maintain a track-out control system
Install signage to limit vehicle speed to 15 mph
Install speed control devices
Restrict access to through traffic

Apply and Maintain Aggregate Cover

Rule Definition

"Aggregate cover" means reducing PM emissions, wind erosion and stabilizing soil by applying and maintaining gravel, concrete, recycled road base, caliche, or other similar material to unpaved access connections, roads, or feed lanes. The aggregate should be clean, hard and durable, and should be applied and maintained to a minimum of 3 inches deep.

Purpose

Applying an aggregate cover to unpaved access connections helps to reduce the generation of PM



emissions by acting as a barrier to erosive forces like the wind or vehicle traffic.

Suggestions for Implementation

- The aggregate should be one inch or larger in diameter
- The aggregate should be applied a minimum of 3 inches deep.
- The aggregate material should be clean, hard and durable.

Apply and Maintain Pavement in High Traffic Areas

Rule Definition

"Apply and maintain pavement" means reducing PM emission, wind erosion and stabilizing soil by applying and maintaining pavement to unpaved access connections, roads, or feed lanes.

Purpose

Pavement provides permanent protection between the soil and vehicle/equipment and reduces the amount of PM emissions generated. Pavement can also help prevent the buildup of particulate matter on vehicles and equipment by eliminating or reducing contact with loose soil.

Suggestions for Implementation

Pave access connection.

Apply and Maintain Synthetic Particulate Suppressants

Rule Definition

"Synthetic particulate suppressant" means reducing PM emissions and wind erosion by providing a stabilized soil surface on a commercial dairy operation with a manufactured product such as lignosulfate, calcium chloride, magnesium chloride, an emulsion of petroleum product, an enzyme product, or polyacrylamide that is used to control particulate matter.

Purpose

Synthetic particulate suppressants provide a surface barrier or binds soil particles together to hinder the generation of PM emissions on unprotected areas, such as unpaved access connections.

Suggestions for Implementation

Applying nontoxic chemical or organic PM suppressants on unpaved access connections can

reduce PM emissions when vehicles pass over the unpaved surface.

Examples of synthetic particulate suppressant include, but are not limited to:

- Calcium Chloride (CaCl)
- Soybean feedstock (SBF) processing byproducts
- Calcium Lignosulfonate (lignin)
- Polyvinyl acrylic polymer emulsion (PVA)
- Polyacrymide (PAM)
- Emulsified petroleum resin

Differences in traffic type and volume, soil types,



roadway surface characteristics and topography between sites requiring dust control can cause product performance to vary. Consult the NRCS office or a dust control contractor for specific recommendations. All products should be applied strictly in accordance with manufacturers' specifications. These control measures must not be prohibited for use by any applicable regulation and also must meet any specification required by any federal, state, or local water agency.

Apply and Maintain Water as a Dust Suppressant

Rule Definition

"Apply water" means reducing PM emissions and wind erosion by applying water to unpaved access connections during a periods of high traffic until the surfaces are visibly moist.

Purpose

Applying water from a truck, tractor or other portable spray system to bare soil surfaces can help reduce PM emissions. Watering helps compact soil so that it is not dispersed into the air as vehicles travel over the soil surface.

Suggestions for Implementation

Watering is effective during peak usage times. Apply water so that the surface is visibly moist.

Install and Maintain Track-Out Control System

Rule Definition

"Track-out control system" means minimizing any and all material that adheres to and agglomerates on all vehicles and equipment from unpaved access connections and falls onto paved public roads or shoulders to paved public roads by using a device or system to remove mud or soil from a vehicle or equipment before the vehicle enters a paved public road. Devices such as a grizzly, a gravel pad or a wheel wash system can be used.

Purpose

Track-out control devices/system remove mud or soil from a vehicle or equipment before the vehicle enters a paved public road, where the mud or soil can be crushed into fine particles and easily suspended in the air by passing vehicles.

Suggestions for Implementation

The track-out device must be a suitable track-out control device that controls and prevents track-out and/or removes particulate matter from tires and the exterior surfaces of motor vehicles. *Some examples of track-out control systems are:*

- Grizzly a device similar to a cattle guard, which is used to dislodge mud, dirt, or debris from the tires and undercarriage of equipment and vehicles prior to leaving an unpaved access connection.
- connection.

 Gravel pad a pad of crushed stone, coarse gravel or recycled road base located at the point of intersection of a paved pubic roadway and an unpaved access connection.

 It is recommended that:
 - a) The stone or gravel is one inch or larger in diameter.
 - b) The gravel pad is applied a minimum of four inches deep.
 - c) The gravel pad is the full width of the entrance.
 - d) The gravel pad is a minimum of 50 feet long.
- Pavement an area of asphalt, concrete or similar material applied to a farm road at the intersection of a paved public roadway and an unpaved access connection.
 It is recommended that:
 - a) The pavement is the width of the farm road.
 - b) The pavement is a minimum of 100 feet long from the point of intersection with a paved public roadway.

Install Signage to Limit Vehicle Speed to 15 MPH

Rule Definition

"Install signage to limit vehicle speed" means reducing PM emissions and soil erosion from the operation of farm vehicles or equipment on unpaved access connections at speeds not to exceed 15 mph. This can be achieved through installation of signage.

Purpose

Limiting speeds to 15 mph can decrease the amount of PM emissions generated by vehicles or equipment from getting onto paved public roads from unpaved access connections.

Suggestions for Implementation

Examples of methods to reduce vehicle speed include, but are not limited to:

- Posting speed limit signs within 100 feet of a paved public road.
- Informing all employees, contractors and sub-contractors of speed limits.
- Placing signs in all farm vehicles stating the speed limits on farm roads.



Install Speed Control Devices

Rule Definition

"Install speed control devices" means reducing PM emissions and soil erosion from the operation of farm vehicles or equipment on unpaved access connections by installing devices to control vehicle speeds.

Purpose

Speed control devices lower vehicular speed and help decrease the amount of PM generated by vehicles or equipment from getting onto paved public roads from unpaved access connections.

Suggestions for Implementation

Install speed control devices (e.g. speed bumps) within 100 feet of a paved public road.

Restrict Access to Through Traffic



Rule Definition

"Access restriction" means reducing PM emissions by reducing the number of trips driven on agricultural aprons and access roads by restricting or eliminating public access to unpaved access connections with signs or physical obstruction at location that effectively control access to the area.

Purpose

Restricting access helps reduce vehicular traffic on agricultural aprons and access roads by restricting or eliminating public access to unpaved access connections. Reducing the number of trips driven on agricultural aprons and access roads can reduce the amount of PM generated.

Suggestions for Implementation

- Installing physical barriers such as gates, fencing, posts, signs, shrubs, trees or other physical obstructions to prevent or control access to the area.
- Installing "no trespassing" or "limited use area" signs.

Category IV: Unpaved Roads or Feed Lanes

Roads and feed lanes that are unpaved, owned by a commercial animal operator, and used exclusively to service a commercial animal operation.

Best management practices for unpaved roads or feed lanes

Apply and maintain aggregate cover

Apply and maintain pavement in high traffic areas

Apply and maintain pavement or cement feed lanes

Apply and maintain synthetic particulate suppressant

Apply and maintain water as dust suppressant

Install engine speed governors on feed trucks to 15 mph

Install signage to limit vehicle speed to 15 mph

Install speed control devices

Restrict access to through traffic

Use appropriate vehicles such as electric carts or small utility vehicles instead of trucks

Apply and Maintain Aggregate Cover

Rule Definition

"Aggregate cover" means reducing PM emissions, wind erosion and stabilizing soil by applying and maintaining gravel, concrete, recycled road base, caliche, or other similar material to unpaved roads or feed lanes. The aggregate should be clean, hard and durable, and should be applied and maintained to a minimum of 3 inches deep.

Purpose

Applying an aggregate cover to unpaved roads or feed lanes helps to reduce the generation of PM emissions by acting as a barrier to erosive forces like the wind or vehicle traffic.

Suggestions for Implementation

- The aggregate should be one inch or larger in diameter
- The aggregate should be applied a minimum of 3 inches deep.
- The aggregate material should be clean, hard and durable.

Apply and Maintain Pavement in High Traffic Areas

Rule Definition

"Apply and maintain pavement" means reducing PM emission, wind erosion and stabilizing soil by applying and maintaining pavement to unpaved roads or feed lanes.

Purpose

Pavement provides permanent protection between the soil and vehicle/equipment and reduces the amount of PM emissions generated. Pavement can also help prevent the buildup of particulate matter on vehicles and equipment by eliminating or reducing contact with loose soil.

Suggestions for Implementation

Pave unpaved roads and feed lanes.

Apply and Maintain Pavement or Cement Feed Lanes

Rule Definition

"Apply pavement or cement to feed lanes" means reducing PM emissions by applying pavement or cement to feed lanes.



Purpose

Pavement provides permanent protection between the soil and vehicle/equipment and reduces the amount of PM emissions generated. Pavement can also help to prevent the buildup of particulate matter on vehicle tires and exterior surfaces by eliminating or reducing contact with loose soil.

Suggestions for Implementation

Pave all feed lanes.

Apply and Maintain Synthetic Particulate Suppressants

Rule Definition

"Synthetic particulate suppressant" means reducing PM emissions and wind erosion by providing a stabilized soil surface on a commercial dairy operation with a manufactured product such as lignosulfate, calcium chloride, magnesium chloride, an emulsion of petroleum product, an enzyme product, or polyacrylamide that is used to control particulate matter.

Purpose

Synthetic particulate suppressants provide a surface barrier or binds soil particles together to hinder the generation of PM emissions on unprotected areas, such as unpaved roads or feed lanes.

Suggestions for Implementation

Applying nontoxic chemical or organic PM suppressants on unpaved roads or feed lanes can reduce PM emissions when vehicles pass over the unpaved surface.

Examples of synthetic particulate suppressant include, but are not limited to:

- Calcium Chloride (CaCl)
- Soybean feedstock (SBF) processing byproducts
- Calcium Lignosulfonate (lignin)
- Polyvinyl acrylic polymer emulsion (PVA)
- Polyacrymide (PAM)
- Emulsified petroleum resin

Differences in traffic type and volume, soil types, roadway surface characteristics and topography between sites requiring dust control can cause product performance to vary. Consult the NRCS office or a dust control contractor for specific recommendations. All products should be applied strictly in accordance with manufacturers' specifications. These control measures must not be prohibited for use by any applicable regulation and also must meet any specification required by any federal, state, or local water agency.

Apply and Maintain Water as a Dust Suppressant

Rule Definition

"Apply water" means reducing PM emissions and wind erosion by applying water to unpaved roads or feed lanes during a periods of high traffic until the surfaces are visibly moist.

Purpose

Applying water from a truck, tractor or other portable spray system to bare soil surfaces can help reduce PM emissions. Watering helps compact soil so that it is not dispersed into the air as vehicles travel over the soil surface.



Suggestions for Implementation

Watering is effective during peak usage times. Apply water so that the surface is visibly moist.

Install Engine Speed Governors on Feed Truck to 15 MPH

Rule Definition

"Install engine speed governors" means reducing PM emission and soil erosion from the operation of farm vehicles or farm equipment on unpaved roads or feed lanes at speeds not to exceed 15 mph. This can be achieved through installation of engine speed governors.

Purpose

Speed governors restrict vehicles to a specified speed and can help reduce PM emissions by lowering the speed at which vehicles travel on unpaved roads or feed lanes.

Suggestions for Implementation

Install tamper proof speed governors on vehicles used on the farm to limit travel speeds to a maximum of 15 mph.

Install Signage to Limit Vehicle Speed to 15 MPH

Rule Definition

"Install signage to limit vehicle speed" means reducing PM emissions and soil erosion from the operation of farm vehicles or equipment on unpaved roads or feed lanes at speeds not to exceed 15 mph. This can be achieved through installation of signage.



Purpose

Speed limit signs inform drivers and equipment operators of established speed limits and help reduce PM emissions generated on unpaved roads or feed lanes by vehicles or equipment by lowering traffic speed.

Suggestions for Implementation

Examples of methods to reduce vehicle speed include, but are not limited to:

- Install 15 mph speed limit signs on unpaved roads, equipment activity areas, and feed lanes.
- Informing all employees, contractors and sub-contractors of speed limits.
- Placing signs in all farm vehicles stating the speed limits on farm roads.

Install Speed Control Devices

Rule Definition

"Install speed control devices" means reducing PM emissions and soil erosion from the operation of farm vehicles or equipment on unpaved roads or feed lanes by installing devices to control vehicle speeds.

Purpose

Speed control devices create a physical obstruction that requires drivers and equipment operators to lower their speed, which helps reduce PM emission generated by vehicles or equipment.

Suggestions for Implementation

Install speed control devices on unpaved roads and equipment areas to limit vehicle speeds to 15 mph.

Restrict Access to Through Traffic

Rule Definition

"Access restriction" means reducing PM emissions by reducing the number of trips driven on agricultural aprons and access roads by restricting or eliminating public access to unpaved roads or feed lanes with signs or physical obstruction at location that effectively control access to the area.

Purpose

Restricting access helps reduce vehicular traffic on agricultural aprons and access roads by restricting or eliminating public access to unpaved roads or feed lanes. Reducing the number of trips driven on agricultural aprons and access roads can reduce the amount of PM generated.

Suggestions for Implementation

- Installing physical barriers such as gates, fencing, posts, signs, shrubs, trees or other physical obstructions to prevent or control access to the area.
- Installing "no trespassing" or "limited use area" signs.

Use Appropriate Vehicles Such as Electric Carts or Small Utility Vehicles

Rule Definition

"Use appropriate vehicles" means reducing PM by using electric carts or small utility vehicles instead of trucks to perform routine tasks.

Purpose

Using appropriate vehicles (electric carts, small utility vehicles) instead of trucks to perform routine tasks or trips can reduce PM emissions because they weigh less than a truck and cause less soil disturbance.

Suggestions for Implementation

Use electric carts and small utility vehicles to replace trucks where appropriate in daily operations.



Pinal County Commercial Dairy Operations

Commercial dairy operations within the Pinal County PM Nonattainment Area shall apply and maintain one of the four listed BMPs on unpaved roads that experience more than 20 VDT from 2 or more axle vehicles, the day that a forecast to be high risk for dust generation by the Pinal County Dust Control Forecast.

Apply and Maintain Aggregate Cover Apply and Maintain Pavement in High Traffic Areas Apply and Maintain Synthetic Particulate Suppressant Apply and Maintain Water as a Dust Suppressant

Environmental Quality only when requested. Complete Form annually by March 31st and retain on site. Provide Form within two business days of notice to the Arizona Department of Signature: ☐ Do not run cattle☐ Apply a fibrous layer☐ Wind barrier☐ ☐ Keep calves in barns or hutches ☐ Pile manure between cleanings ☐ Feed green chop ☐ Use drag equipment to maintain pens ☐ Groom manure surface ☐ Water misting systems ☐ Provide shade in corral☐ Provide cooling in corral☐ ☐ Cement cattle walkways to milk barn ☐ Use free stall housing CATEGORY I: Arenas, Corrals and Mailing or Physical Address of Commercial Dairy Facility Name of Commercial Animal Operator: Name of Commercial Dairy Facility: A commercial farmer must select and implement at least TWO practices from each category 20 Refer to Arizona Administrative Code R18-2-611 for BMP information and definitions. Agricultural Best Management Practices General Permit Record Dairy Operations - Serious PM10 Nonattainment Area ☐ Feed higher moisture feed to dairy cattle ☐ Store and maintain feed stock ☐ Covers for silage ☐ Store silage in bunkers ☐ Cover manure hauling trucks ☐ Do not load manure trucks with dry manure ☐ Install signage to limit speed to 15 mph☐ Install speed control devices☐ Restrict access to through traffic☐ Install and maintain a track-out control device☐ Apply and maintain pavement in high traffic☐ areas Apply and maintain aggregate cover Apply and maintain synthetic particulate suppressant ☐ Apply and maintain water as a dust suppressant CATEGORY III: Unpaved Access Connections when wind exceeds 15 mph Feed Activities, and Transporting CATEGORY II: Animal Waste Handling, State: Phone: Email ☐ Install speed control devices ☐ Restrict access to through traffic ☐ Apply and maintain pavement in high ☐ Apply and maintain pavement or cement carts or small utility vehicles instead of ☐ Use appropriate vehicles such as electric suppressant Apply and maintain water as a dust suppressant ☐ Apply and maintain synthetic particulate ☐ Apply and maintain aggregate cover truck to 15 mph ☐ Install signage to limit vehicle speed to ☐ Install engine speed governors on feed Feed Lanes CATEGORY IV: Unpaved Roads or feed lanes 15 mph Date: Zip:

☐ Keep calves in bams or hutches ☐ Do not run cattle ☐ Apply a fibrous layer ☐ Wind barrier Select at least one of the following: Use free stall housing Provide shade in corral Provide cooling in corral ☐ Use drag equipment to maintain pens☐ Pile manure between cleanings☐ Feed green chop ☐ Groom manure surface ☐ Water misting systems ☐ Cement cattle walkways to milk barn CATEGORY I: Arenas, Corrals and City Complete Form annually by March 31st and retain on facility. Provide Form within two business days of notice to the Arizona Department of Mailing or Physical Address of Commercial Dairy Facility: Select Best Management Practices (BMP) as indicated by Category. (See High Risk Dust Generation Days section on back page for more Environmental Quality only when requested Name of Commercial Animal Operator: Name of Commercial Dairy Facility: Refer to the Guide to $\mathit{Agricultural\,PM10}$ $\mathit{Best\,Management\,Practices}$ for BMP information and definitions _ Agricultural Best Management Practices General Permit Record ☐ Install and maintain a track-out control device ☐ Apply and maintain pavement in high traffic areas ☐ Apply and maintain aggregate cover ☐ Apply and maintain synthetic particulate suppressant ☐ Apply and maintain water as a dust suppressant ☐ Store silage in bunkers ☐ Covers for silage ☐ Restrict access to through traffic ☐ Install signage to limit speed to 15 mph☐ Install speed control devices CATEGORY III: Unpaved Access ☐ Do not load manure trucks with dry manure when ☐ Cover manure hauling trucks ☐ Feed higher moisture feed to dairy cattle CATEGORY II: Animal Waste Handling, Select at least one of the following: Connections wind exceeds 15 mph ☐ Store and maintain feedstock Select at least one of the following: Feed Activities, and Transporting Dairy Operations – Pinal County Continue on Back State: Phone: Email: ☐ Install speed control devices ☐ Restrict access to through traffic ☐ Apply and maintain pavement in high carts or small utility vehicles instead of ☐ Apply and maintain synthetic particulate traffic areas ☐ Install signage to limit vehicle speed to 15 truck to 15 mph ☐ Install engine speed governors on feed ☐ Apply and maintain pavement or cement □ Use appropriate vehicles such as electric suppressant suppressant ☐ Apply and maintain water as a dust ☐ Apply and maintain aggregate cover Select at least one of the following: CATEGORY IV: Unpaved Roads or Zip:

ć.	Refer to the Guide to Agricultural PM10 Best Management Practices for BMP information and definitions.	High Risk Dust Generation Days BMP: Apply and maintain water as a dust suppressant to unpaved roads that experience more than 20 VDT * from 2 or more axle vehicles on the day that is forecast to be high risk for dust generation by the Pinal County Dust Control Forecast. *vehicle daily trips

Where can I learn more?

If you do not know whether your agricultural operation resides within the PM Regulated Area, or if you have questions regarding compliance or specific components of the agricultural PM10 general permit, contact:

Arizona Department of Agriculture

Agricultural Consultation & Training 1688 W. Adams St. Phoenix, AZ 85007 602-542-3484 800-294-0308 www.agriculture.az.gov

Arizona Cattlemen's Association

1401 N. 24th St. Suite 4 Phoenix, AZ 85008 602-273-7414

Arizona Farm Bureau

325 S. Higley Rd. Suite 210 Gilbert, AZ 85296 480-635-3614

Agua-Fria New River NRCD

16251 W. Glendale Ave. Litchfield Park, AZ 85340 602-771-4162

Buckeye Valley NRCD

104 W. Baseline Rd. Buckeye, AZ 85326 602-386-4631

Arizona Department of Environmental Quality

Air Quality Division 1110 W. Washington St. Phoenix, AZ 85007 602-771-2300 800-234-5677 www.azdeq.gov/environ/air/index.html

East Maricopa NRCD/NRCS Field Office

805 E. Warner Rd. Suite 104 Chandler, AZ 86225 480-988-1078

Maricopa County Cooperative Extension

4341 E. Broadway Rd. Phoenix, AZ 85040 602-470-8086 www.cals.arizona.edu/maricopa/

NRCS/FSA Avondale Field Office

Maricopa County Farm Service Agency 12409 W. Indian School Rd. Building B, Suite 201 Avondale, AZ 85323 623-535-5055

United Dairymen of Arizona

2008 S. Hardy Dr. Tempe, AZ 85282 480-966-7211

Governor's Agricultural BMP Committee:

Dan Thelander (Committee Chair), Grain Producer, Chandler, Arizona

Wade Accomazzo, Alfalfa Producer, Tolleson, Arizona

Shane Burgess, Vice Provost and Dean, College of Agriculture and Life Sciences, University of Arizona, Tucson, Arizona

(Designee Jeff Silvertooth, Associate Dean, College of Agriculture and Life Sciences, University of Arizona

Don Butler, Director, Arizona Department of Agriculture, Phoenix, Arizona (Designee Brett Cameron, Assistant Director, Agricultural Consultation and Training, Arizona Department of Agriculture, Phoenix, Arizona)

Glen Curtis, Citrus Producer, Yuma, Arizona

Henry Darwin, Director, Arizona Department of Environmental Quality, Phoenix, Arizona (Designee Eric Massey, Director, Air Quality Division, Arizona Department of Environmental Quality, Phoenix, Arizona)

Glenn Hickman, Poultry Operations, Buckeye, Arizona

Earl Petznick Jr., Beef Cattle Feedlot Operations, Maricopa, Arizona

Kevin G. Rogers, Cotton Producer, Mesa, Arizona

Will Rousseau, Vegetable Producer, Litchfield Park, Arizona

Marguerite Tan, Swine Operations, Snowflake, Arizona

Keisha Tatem, State Conservationist, Natural Resource Conservation Service, Phoenix, Arizona

Tom Thompson, Dairy Operations, Buckeye, Arizona

James L. Walworth, Soil Scientist, College of Agriculture and Life Sciences, University of Arizona, Tucson, Arizona

(Nominee) Michael Sundblom, Director, Pinal County Air Quality Control District, Florence, Arizona

Ag BMP Technical Work Group:

Kevin G. Rogers (Co-Chair), Cotton Producer, Mesa, Arizona

Dan Thelander (Co-Chair), Grain Producer, Maricopa, Arizona

Bas Aja, Arizona Cattlemen's Association, Phoenix, Arizona

Mike Billote, United Dairymen of Arizona, Tempe, Arizona

Brett Cameron, Arizona Department of Agriculture, Phoenix, Arizona

Jeannette Fish, Maricopa County Farm Bureau, Phoenix, Arizona

Cheryl Goar, Arizona Nursery Association, Phoenix, Arizona

Ana Kennedy, Arizona Farm Bureau Federation, Gilbert, Arizona

Rick Lavis, Arizona Cotton Growers Association, Phoenix, Arizona

Paco Ollerton, Cotton Producer, Casa Grande, Arizona

Earl Petznick Jr., Beef Cattle Feedlot Operations, Maricopa, Arizona

Jeff Sandquist, Veridus LLC, United Dairymen of Arizona, Phoenix, Arizona

Robert L. Shuler, The Shuler Law Firm PLC, Scottsdale, Arizona

Joe Sigg, Arizona Farm Bureau Federation, Gilbert, Arizona

Nick Simonetta, Pivotal Policy Consulting, Phoenix, Arizona

Chris Udall, Arizona Agribusiness and Water Council, Mesa, Arizona

Russell Van Leuven, Arizona Department of Agriculture, Phoenix, Arizona

Greg Wuertz, Cotton Producer, Casa Grande, Arizona

ADEQ Staff assigned to Governor's Ag BMP Committee:

- Danielle M. Hazeltine, Rules Specialists, Air Quality Division, Arizona Department of Environmental Quality, Phoenix, Arizona
- Lisa Tomczak, Environmental Program Specialist, Air Quality Division, Arizona Department of Environmental Quality, Phoenix, Arizona
- Emily Bonanni, Compliance Officer, Air Quality Division, Arizona Department of Environmental Quality, Phoenix, Arizona
- Michael Smith, Compliance Officer, Air Quality Division, Arizona Department of Environmental Quality, Phoenix, Arizona

Stakeholders and Collaborating Partners

Arizona Agribusiness and Water Council Arizona Cattle Feeders Association Arizona Cotton Growers Association Arizona Department of Agriculture Arizona Department of Environmental Quality Arizona Farm Bureau Federation Arizona Nursery Association Maricopa Association of Governments Maricopa County Air Quality Department Maricopa County Farm Bureau Natural Resource Conservation Districts United Dairymen of Arizona University of Arizona - College of Agriculture and Life Sciences University of Arizona - Cooperative Extension, Maricopa County US Environmental Protection Agency Region IX USDA Agricultural Research Service USDA Natural Resources Conservation Service Western Growers Association